*The Plant Journal* (1998) **16**(6), 745–749

# Author index


Adhami, F. *see* Hauser, M.-T.
Alberda, M. *see* Wolkers, W.
Albersheim, P. *see* Mathieu, Y.
Alia, H., Hayashi, A., Sakamoto, N. and Murata, N. *Enhancement of the tolerance of* Arabidopsis *to high temperatures by genetic engineering of the synthesis of glycinebetaine* 155
Altmann, T. *see* Mozo, T.
Anderson, A.J. *see* Blee, K.A.
Anderson, M. *see* Golz, J.F.
Anthony, R.G. and Hussey, P.J. *Suppression of endogenous α and β tubulin synthesis in transgenic maize calli overexpressing α and β tubulins* 297
Apperley, D.C. *see* Ha, M.A.
Ashikari, T. *see* Fujiwara, H.
Ausubel, F.M. *see* Reuber, T.L.

Barlier, I. *see* Santoni, V.
Bate, N.J. and Rothstein, S.J. *$C_6$-volatiles derived from the lipoxygenase pathway induce a subset of defense-related genes* 561
Bauw, G. *see* Santoni, V.
Béclin, C. *see* Vaucheret, H.
Bent, A.F. *see* Clough, S.J.
Bevan, M. *see* Kranz, H.D.
Beyly, A. *see* Gillet, B.
Beynon, J. *see* Butt, A.
Binarová, P., Doležel, J., Heberle-Bors, E., Strnad, M. and Bögre, L. *Treatment of* Vicia faba *root tip cells with specific inhibitors to cyclin-dependent kinases leads to abnormal spindle formation* 697
Blee, K.A. and Anderson, A.J. *Regulation of arbuscule formation by carbon in the plant* 523
Bögre, L. *see* Binarová, P.
Borisjuk, L. *see* Weber, H.
Boutry, M. *see* Santoni, V.
Bouyssou, H. *see* Canut, H.
Bouzayen, M. *see* Guillén, P.
Brandt, S. *see* Knight, H.
Brearley, C.A. *see* Keller, R.
Brüggemann, L.I., Pottosin, I.I. and Schönknecht, G. *Cytoplasmic polyamines block the fast-activating vacuolar cation channel* 101
Brunner, F. *see* Schultze, M.
Buchanan-Wollaston, V. *see* Butt, A.
Bucher, M. *see* Tadege, M.
Busk, P.K. *see* Marzábal, P.
Butt, A., Mousley, C., Morris, K., Beynon, J., Can, C., Holub, E., Greenberg, J.T. and Buchanan-Wollaston, V. *Differential expression of a senescence-enhanced metallothionein gene in Arabidopsis in response to isolates of* Peronospora parasitica *and* Pseudomonas syringae 209

Caddick, M.X. *see* Salter, M.G.
Can, C. *see* Butt, A.
Canut, H., Carrasco, A., Galaud, J.-P., Cassan, C., Bouyssou, H., Vita, N., Ferrara, P. and Pont-Lezica, R. *High affinity RGD-binding sites at the plasma membrane of* Arabidopsis thaliana *links the cell wall* 63
Carbonero, P. *see* Mena, M.
Carpita, N.C. *see* Chen, L.
Carrasco, A. *see* Canut, H.
Casacuberta, E., Casacuberta, J.M., Puigdomènech, P. and Monfort, A. *Presence of miniature inverted-repeat transposable elements (MITEs) in the genome of* Arabidopsis thaliana*: characterisation of the* Emigrant *family of elements* 79
Casacuberta, J.M. *see* Casacuberta, E.
Cassan, C. *see* Canut, H.
Cernac, A. *see* Pitts, R.J.
Chappell, J. *see* Newman, J.D.
Chen, L., Carpita, N.C., Reiter, W.-D., Wilson, R.H., Jeffries, C. and McCann, M.C. *A rapid method to screen for cell-wall mutants using discriminant analysis of Fourier transform infrared spectra* 385
Chen, L.-J. and Li, H.-m. *A mutant deficient in the plastid lipid DGD is defective in protein import into chloroplasts* 33
Chen, Z. *see* Wang, Z.
Chua, N.-H. *see* Kost, B.
Citovsky, V., Ghoshroy, S., Tsui, F. and Klessig, D. *Non-toxic concentrations of cadmium inhibit systemic movement of turnip vein clearing virus by a salicylic acid-independent mechanism* 13
Clarke, A.E. *see* Golz, J.F.
Clough, S.J. and Bent, A.F. *Floral dip: a simplified method for* Agrobacterium*-mediated transformation of* Arabidopsis thaliana 735
Cobbett, C.S., May, M.J., Howden, R. and Rolls, B. *The glutathione-deficient, cadmium-sensitive mutant,* cad2–1*, of Arabidopsis thaliana is deficient in γ-glutamylcysteine synthetase 73*
*Collins, G.B. see* Dasgupta, S.
Colombo, L., Marziani, G., Masiero, S., Wittich, P.E., Schmidt, R.J., Gorla, M.S. and Pè, M.E. BRANCHED SILKLESS *mediates the transition from spikelet to floral meristem during* Zea mays *ear development* 355
Colrat, S. *see* Guillén, P.
Coruzzi, G. *see* Lam, H.-M.

Dalmayrac, S. *see* Guillén, P.
Darvill, A.G. *see* Mathieu, Y.
Dasgupta, S., Collins, G.B. and Hunt, A.G. *Co-ordinated expression of multiple enzymes in different subcellular compartments in plants* 107
Day, D.A. *see* Whitehead, L.F.
Degand, H. *see* Santoni, V.
Dehais, P. *see* Santoni, V.
Denekamp, M. *see* Kranz, H.D.
Deng, X.-W. *see* Osterlund, M.T.
Deswarte, C. *see* Guillén, P.
Dewdney, J. *see* Reuber, T.L.
Doležel, J. *see* Binarová, P.
Dorner, M. *see* Hauser, M.-T.
Doumas, P. *see* Santoni, V.
Drøbak, B.K. *see* Gungabissoon, R.A.
Drumm-Herrel, H. *see* Poppe, C.
Dupree, P. *see* Santoni, V.
Dupuis, I. *see* Tadege, M.

Ellis, J.G. *see* Luck, J.E.
Ellis, T.H.N. *see* Flavell, A.J.
Elmayan, T. *see* Vaucheret, H.


© 1998 Blackwell Science Ltd

Elomaa, P., Mehto, M., Kotilainen, M., Helariutta, Y., Nevalainen, L. and Teeri, T.H. *A bHLH transcription factor mediates organ, region and flower type specific signals on dihydroflavonol-4-reductase (dfr) gene expression in the inflorescence of* Gerbera hybrida *(Asteraceae)* 93
Estelle, M. *see* Pitts, R.J.
Evans, B.W. *see* Ha, M.A.

Fallot, J. *see* Guillén, P.
Fan, B. *see* Wang, Z.
Feix, G. *see* Hochholdinger, F.
Ferrara, P. *see* Canut, H.
Feuerbach, F. *see* Vaucheret, H.
Finnegan, E.J. *see* Luck, J.E.
Fisahn, J. *see* Kehr, J.
Fischer, S. *see* Mozo, T.
Flavell, A.J., Knox, M.R., Pearce, S.R. and Ellis, T.H.N. *Retrotransposon-based insertion polymorphisms (RBIP) for high throughput marker analysis* 643
Flynn, C.R., Mullen, R.T. and Trelease, R.N. *Mutational analyses of a type 2 peroxisomal targeting signal that is capable of directing oligomeric protein import into tobacco BY-2 glyoxysomes* 709
Fritig, B. *see* Schultze, M.
Fuchs, E. *see* Hauser, M.-T.
Fuchs, J. *see* Presting, G.G.
Fujiwara, H., Tanaka, Y., Yonekura-Sakakibara, K., Fukuchi-Mizutani, M., Nakao, M., Fukui, Y., Yamaguchi, M., Ashikari, T. and Kusumi, T. *cDNA cloning, gene expression and subcellular localization of anthocyanin 5-aromatic acyltransferase from* Gentiana triflora 421
Fukuchi-Mizutani, M. *see* Fujiwara, H.
Fukui, Y. *see* Fujiwara, H.
Furuya, M. *see* Soh, M.S.

Gadal, P. *see* Lancien, M.
Gage, D.A. *see* Nuccio, M.L.
Galaud, J.-P. *see* Canut, H.
Gallois, P. *see* Rutherford, R.
Genetet, I. *see* Schultze, M.
Ghoshroy, S. *see* Citovsky, V.
Gietl, C. *see* Wimmer, C.
Gillet, B., Beyly, A., Peltier, G. and Rey, P. *Molecular characterization of CDSP 34, a chloroplastic protein induced by water deficit in* Solanum tuberosaum *L. plants, and regulation of* CDSP 34 *expression by ABA and high illumination* 257
Gilmour, S.J., Zarka, D.G., Stockinger, E.J., Salazar, M.P., Houghton, J.M. and Thomashow, M.F. *Low temperature regulation of the* Arabidopsis *CBF family of AP2 transcriptional activators as an early step in cold-induced* COR *gene expression* 433
Gisel, A., Rothen, B., Iglesias, V.A., Potrykus, I. and Sautter, C. In situ *monitoring of DNA: the plant nuclear envelope allows passage of short DNA fragments* 621
Glössl, J. *see* Hauser, M.-T.
Godon, C. *see* Vaucheret, H.
Golombek, S. *see* Weber, H.
Golz, J.F., Clarke, A.E., Newbigin, E. and Anderson, M. *A relic S-RNase is expressed in the styles of self-compatible* Nicotiana sylvestris 591
Gorla, M.S. *see* Colombo, L.
Gray, J.C. *see* Hibberd, J.M.
Greco, R. *see* Kranz, H.D.
Greenberg, J.T. *see* Butt, A.
Greenland, A.J. *see* Salter, M.G.
Guern, J. *see* Mathieu, Y.
Guillén, P., Guis, M., Martínez-Reina, G., Colrat, S., Dalmayrac, S., Deswarte, C., Bouzayen, M., Roustan, J.-P., Fallot, J., Pech, J.-C. and Latché, A. *A novel NADPH-dependent aldehyde reductase gene from* Vigna radiata *confers resistance to the grapevine fungal toxin eutypine* 335
Guis, M. *see* Guillén, P.
Gungabissoon, R.A., Jiang, C.-J., Drøbak, B.K., Maciver, S.K. and Hussey, P.J. *Interaction of maize actin-depolymerising factor with actin and phosphoinositides and its inhibition of plant phospholipase C* 689
Gupta, R., Huang, Y., Kieber, J. and Luan, S. *Identification of a dual-specificity protein phosphatase that inactivates a MAP kinase from* Arabidopsis 581

Ha, M.A., Apperley, D.C., Evans, B.W., Huxham, I.M., Jardine, W.G., Viëtor, R.J., Reis, D., Vian, B. and Jarvis, M.C. *Fine structure in cellulose microfibrils: NMR evidence from onion and quince* 183
Habu, Y., Hisatomi, Y. and Iida, S. *Molecular characterization of the mutable* flaked *allele for flower variegation in the common morning glory* 371
Hanson, A.D. *see* Nuccio, M.L.
Hanzawa, H. *see* Soh, M.S.
Harbord, R.M. *see* ten Hoopen, R.
Hauser, M.-T., Adhami, F., Dorner, M., Fuchs, E. and Glössl, J. *Generation of co-dominant PCR-based markers by duplex analysis on high resolution gels* 117
Hayashi, A. *see* Alia, H.
Heath, M.C. *see* Skalamera, D.
Heberle-Bors, E. *see* Binarová, P.
Heifetz, P. *see* Lebel, E.
Heim, U. *see* Weber, H.
Helariutta, Y. *see* Elomaa, P.
Henrichs, G. *see* Tjaden, J.
Hertzberg, M. and Olsson, O. *Molecular characterisation of a novel plant homeobox gene expressed in the maturing xylem zone of* Populus tremula × tremuloides 285
Hibberd, J.M., Linley, P.J., Khan, M.S. and Gray, J.C. *Transient expression of green fluorescent protein in various plastid types following microprojectile bombardment* 627
Hisatomi, Y. *see* Habu, Y.
Ho, C.-L., Noji, M., Saito, M., Yamazaki, M. and Saito, K. *Molecular characterization of plastidic phosphoserine aminotransferase in serine biosynthesis from* Arabidopsis 443
Hochholdinger, F. and Feix, G. *Early post-embryonic root formation is specifically affected in the maize mutant lrt1* 247
Hodges, M. *see* Lancien, M.
Hoekstra, F.A. *see* Wolkers, W.
Holk, A. *see* Paul, R.U.
Holub, E. *see* Butt, A.
Hong, S.H. *see* Soh, M.S.
Houghton, J.M. *see* Gilmour, S.J.
Howden, R. *see* Cobbett, C.S.
Hrouda, M. *see* Krizkova, L.
Hsieh, M.-H. *see* Lam, H.-M.
Huang, A.H.C. *see* Ting, J.T.L.
Huang, Y. *see* Gupta, R.
Hunt, A.G. *see* Dasgupta, S.
Hussey, P.J. *see* Anthony, R.G.

Hussey, P.J. *see* Gungabissoon, R.A.
Hustiak, F. *see* Kehr, J.
Huxham, I.M. *see* Ha, M.A.

Iglesias, V.A. *see* Gisel, A.
Iida, S. *see* Habu, Y.
Inzé, D. *see* Schraudner, M.

Jähne, B. *see* Schmundt, D.
Jardine, W.G. *see* Ha, M.A.
Jarvis, M.C. *see* Ha, M.A.
Jeffries, C. *see* Chen, L.
Jepson, I. *see* Salter, M.G.
Jiang, C.-J. *see* Gungabissoon, R.A.
Jin, H. *see* Kranz, H.D.
Jones, D.A. *see* Luck, J.E.

Kampfenkel, K. *see* Tjaden, J.
Kates, K. *see* Mathieu, Y.
Kehr, J., Hustiak, F., Walz, C., Willmitzer, L. and Fisahn, J. *Transgenic plants changed in carbon allocation pattern display a shift in diurnal growth pattern* 497
Keller, R., Brearley, C.A., Trethewey, R.N. and Müller-Röber, B. *Reduced inositol content and altered morphology in transgenic potato plants inhibited for 1d-myo-inositol 3-phosphate synthase* 403
Khan, M.S. *see* Hibberd, J.M.
Kieber, J. *see* Gupta, R.
Klessig, D. *see* Citovsky, V.
Knight, H., Brandt, S. and Knight, M.R. *A history of stress alters drought calcium signalling pathways in* Arabidopsis 681
Knight, M.R. *see* Knight, H.
Knox, M.R. *see* Flavell, A.J.
Kondorosi, Á. *see* Schultze, M.
Kondorosi, É. *see* Schultze, M.
Koornneef, M. *see* Wolkers, W.
Kost, B., Spielhofer, P. and Chua, N.-H. *A GFP-mouse talin fusion protein labels plant actin filaments in vivo and visualizes the actin cytoskeleton in growing pollen tubes* 393
Kotilainen, M. *see* Elomaa, P.
Kranz, H.D., Denekamp, M., Greco, R., Jin, H., Leyva, A., Meissner, R.C., Petroni, K., Urzainqui, A., Bevan, M., Martin, C., Smeekens, S., Tonelli, C., Paz-Ares, J. and Weisshaar, B. *Towards functional characterisation of the members of the R2R3-MYB gene family from* Arabidopsis thaliana 263
Krizkova, L. and Hrouda, M. *Direct repeats of T-DNA integrated in tobacco chromosome: characterization of junction regions* 673
Kuhlemeier, C. *see* Tadege, M.
Kusumi, T. *see* Fujiwara, H.

Lam, H.-M., Hsieh, M.-H. and Coruzzi, G. *Reciprocal regulation of distinct asparagine synthetase genes by light and metabolites in* Arabidopsis thaliana 345
Lancien, M., Gadal, P. and Hodges, M. *Molecular characterization of higher plant NAD-dependent isocitrate dehydrogenase: evidence for a heteromeric structure by the complementation of yeast mutants* 325
Langebartels, C. *see* Schraudner, M.
Latché, A. *see* Guillén, P.
Lawrence, G.J. *see* Luck, J.E.
Lebel, E., Heifetz, P., Thorne, L., Uknes, S., Ryals, J. and Ward, E. *Functional analysis of regulatory sequences controlling PR-1 gene expression in Arabidopsis* 223
Legrand, M. *see* Schultze, M.
Lehrach, H. *see* Mozo, T.
Léon-Kloosterziel, K.M. *see* Wolkers, W.
Leyva, A. *see* Kranz, H.D.
Li, H.-m. *see* Chen, L.-J.
Linley, P.J. *see* Hibberd, J.M.
Liu, C. and Meinke, D.W. *The* titan *mutants of* Arabidopsis *are disrupted in mitosis and cell cycle control during seed development* 21
Luan, S. *see* Gupta, R.
Luck, J.E., Lawrence, G.J., Finnegan, E.J., Jones, D.A. and Ellis, J.G. *A flax transposon identified in two spontaneous mutant alleles of the L6 rust resistance gene* 365
Ludevid, M.D. *see* Marzábal, P.

Maciver, S.K. *see* Gungabissoon, R.A.
Maes, T. *see* ten Hoopen, R.
Malysheva, L. *see* Presting, G.G.
Mansion, M. *see* Santoni, V.
Manteuffel, R. *see* Weber, H.
Martin, C. *see* Kranz, H.D.
Martinez-Reina, G. *see* Guillén, P.
Marzábal, P., Busk, P.K., Ludevid, M.D. and Torrent, M. *The bifactorial endosperm box of γ-zein gene: characterisation and function of the Pb3 and GZM cis-acting elements* 41
Marziani, G. *see* Colombo, L.
Masiero, S. *see* Colombo, L.
Masson, P.H. *see* Rutherford, R.
Mathieu, Y., Guern, J., Spiro, M.D., O'Neill, M.A., Kates, K., Darvill, A.G. and Albersheim, P. *The transient nature of the oligogalaturonide-induced ion fluxes of tobacco cells is not correlated with fragmentation of the oligogalaturonides* 305
May, M.J. *see* Cobbett, C.S.
McCann, M.C. *see* Chen, L.
Mehto, M. *see* Elomaa, P.
Meier-Ewert, S. *see* Mozo, T.
Meinke, D.W. *see* Liu, C.
Meissner, R.C. *see* Kranz, H.D.
Mena, M., Vicente-Carbajosa, J., Schmidt, R.J. and Carbonero, P. *An endosperm-specific DOF protein from barley, highly conserved in wheat, binds to and activates transcription from the prolamin-box of a native B-hordein promoter in barley endosperm* 53
Messerli, M.A. and Robinson, K.R. *Cytoplasmic acidification and current influx follow growth pulses of* Lilium longiflorum *pollen tubes* 87
Moeder, W. *see* Schraudner, M.
Möhlmann, T. *see* Tjaden, J.
Monfort, A. *see* Casacuberta, E.
Morel, J.-B. *see* Vaucheret, H.
Morré, D.J. and Morré, D.M. *NADH oxidase activity of soybean plasma membranes oscillates with a temperature compensated period of 24 min* 277
Morré, D.M. *see* Morré, D.J.
Morris, K. *see* Butt, A.
Mourrain, P. *see* Vaucheret, H.
Mousley, C. *see* Butt, A.
Mozo, T., Fischer, S., Meier-Ewert, S., Lehrach, H. and Altmann, T. *Use of the IGF BAC library for physical mapping of the* Arabidopsis thaliana *genome* 377
Mullen, R.T. *see* Flynn, C.R.
Müller-Röber, B. *see* Keller, R.
Murata, N. *see* Alia, H.

Nakao, M. *see* Fujiwara, H.
Nam, H.G. *see* Soh, M.S.
Nanninga, N. *see* ten Hoopen, R.
Neuhaus, H.E. *see* Tjaden, J.
Nevalainen, L. *see* Elomaa, P.
Newbigin, E. *see* Golz, J.F.
Newman, J.D, Yin, S. and Chappell, J. *Characterization of the TAC box, a cis-element within an elicitor-inducible sesquiterpene cyclase promoter* 1
Noji, M. *see* Ho, C.-L.
Nolte, K.D. *see* Nuccio, M.L.
Nuccio, M.L., Russell, B.L., Nolte, K.D., Rathinasabapathi, B., Gage, D.A. and Hanson, A.D. *The endogenous choline supply limits glycine betaine synthesis in transgenic tobacco expressing choline monooxygenase* 487

O'Neill, M.A. *see* Mathieu, Y.
Olsson, O. *see* Hertzberg, M.
Osterlund, M.T. and Deng, X.-W. *Multiple photoreceptors mediate the light-induced reduction of GUS-COP1 from Arabidopsis hypocotyl nuclei* 201

Packman, L. *see* Santoni, V.
Paine, J.A. *see* Salter, M.G.
Palauqui, J.-C. *see* Vaucheret, H.
Paul, R.U., Holk, A. and Scherer, G.F.E. *Fatty acids and lysophospholipids as potential second messengers in auxin action. Rapid activation of phospholipase $A_2$ activity by auxin in suspension-cultured parsley and soybean cells* 601
Paz-Ares, J. *see* Kranz, H.D.
Pè, M.E. *see* Colombo, L.
Pearce, S.R. *see* Flavell, A.J.
Pech, J.-C. *see* Guillén, P.
Peltier, G. *see* Gillet, B.
Petroni, K. *see* Kranz, H.D.
Pitts, R.J., Cernac, A. and Estelle, M. *Auxin and ethylene promote root hair elongation in* Arabidopsis 553
Plotnikova, J.M. *see* Reuber, T.L.
Pont-Lezica, R. *see* Canut, H.
Poppe, C., Sweere, U., Drumm-Herrel, H. and Schäfer, E. *The blue light receptor cryptochrome 1 can act independently of phytochrome A and B in* Arabidopsis thaliana 465
Posada, E. *see* Santoni, V.
Potrykus, I. *see* Gisel, A.
Pottosin, I.I. *see* Brüggemann, L.I.
Presting, G.G., Malysheva, L., Fuchs, J. and Schubert, I. *A* TY3/GYPSY *retrotransposon-like sequence localizes to the centromeric regions of cereal chromosomes* 721
Prime, T. *see* Santoni, V.
Puigdomènech, P. *see* Casacuberta, E.

Rathinasabapathi, B. *see* Nuccio, M.L.
Ratnayake, C. *see* Ting, J.T.L.
Reis, D. *see* Ha, M.A.
Reiter, W.-D. *see* Chen, L.
Renaudin, J.P. *see* Tena, G.
Reuber, T.L., Plotnikova, J.M., Dewdney, J., Rogers, E.E., Wood, W. and Ausubel, F.M. *Correlation of defense gene induction defects with powdery mildew susceptibility in* Arabidopsis *enhanced disease susceptibility mutants* 473
Rey, P. *see* Gillet, B.
Riddell, K.V. *see* Salter, M.G.
Robbins, T.P. *see* ten Hoopen, R.
Robinson, K.R. *see* Messerli, M.A.
Rogers, E.E. *see* Reuber, T.L.
Rolls, B. *see* Cobbett, C.S.
Rossignol, M. *see* Santoni, V.
Rothen, B. *see* Gisel, A.
Rothstein, S.J. *see* Bate, N.J.
Rouquié, D. *see* Santoni, V.
Roustan, J.-P. *see* Guillén, P.
Rouzé, P. *see* Santoni, V.
Russell, B.L. *see* Nuccio, M.L.
Rutherford, R., Gallois, P. and Masson, P.H. *Mutations in* Arabidopsis thaliana *genes involved in the tryptophan biosynthesis pathway affect root waving on tilted agar surfaces* 145
Ryals, J. *see* Lebel, E.

Sahnoun, I. *see* Santoni, V.
Saito, K. *see* Ho, C.-L.
Saito, M. *see* Ho, C.-L.
Sakamoto, N. *see* Alia, H.
Salazar, M.P. *see* Gilmour, S.J.
Salter, M.G., Paine, J.A., Riddell, K.V., Jepson, I., Greenland, A.J., Caddick, M.X. and Tomsett, A.B. *Characterisation of the ethanol-inducible* alc *gene expression system for transgenic plants* 127
Sandermann Jr, H. *see* Schraudner, M.
Santoni, V., Rouquié, D., Doumas, P., Mansion, M., Boutry, M., Degand, H., Dupree, P., Packman, L., Sherrier, J., Prime, T., Bauw, G., Posada, E., Rouzé, P., Dehais, P., Sahnoun, I., Barlier, I. and Rossignol, M. *Use of a proteome strategy for tagging proteins present at the plasma membrane* 633
Sautter, C. *see* Gisel, A.
Schäfer, E. *see* Poppe, C.
Scherer, G.F.E. *see* Paul, R.U.
Schmid, M. *see* Wimmer, C.
Schmidt, R.J. *see* Colombo, L.
Schmidt, R.J. *see* Mena, M.
Schmundt, D., Stitt, M., Jähne, B. and Schurr, U. *Quantitative analysis of the local rates of growth of dicot leaves at a high temporal and spatial resolution, using image sequence analysis* 505
Schönknecht, G. *see* Brüggemann, L.I.
Schraudner, M., Moeder, W., Wiese, C., Van Camp, W., Inzé, D., Langebartels, C. and Sandermann Jr, H. *Ozone-induced oxidative burst in the ozone biomonitor plant, tobacco Bel W3* 235
Schubert, I. *see* Presting, G.G.
Schultze, M., Staehelin, C., Brunner, F., Genetet, I., Legrand, M., Fritig, B., Kondorosi, É. and Kondorosi, Á. *Plant chitinase/lysozome isoforms show distinct substrate specificity and cleavage site preference towards lipochitooligosaccharide Nod signals* 571
Schurr, U. *see* Schmundt, D.
Sherrier, J. *see* Santoni, V.
Skalamera, D. and Heath, M.C. *Changes in the cytoskeleton accompanying infection-induced nuclear movements and the hypersensitive response in plant cells invaded by rust fungi* 191
Smeekens, S. *see* Kranz, H.D.
Soh, M.S., Hong, S.H., Hanzawa, H., Furuya, M. and Nam, H.G. *Genetic identification of FIN2, a far red light-specific signaling component of* Arabidopsis thaliana 411
Spielhofer, P. *see* Kost, B.
Spiro, M.D. *see* Mathieu, Y.

Staehelin, C. *see* Schultze, M.
Stähli, W. *see* Tadege, M.
Stitt, M. *see* Schmundt, D.
Stockinger, E.J. *see* Gilmour, S.J.
Strnad, M. *see* Binarová, P.
Suter, M. *see* Tadege, M.
Sweere, U. *see* Poppe, C.

Tadege, M., Bucher, M., Stähli, W., Suter, M., Dupuis, I. and Kuhlemeier, C. *Activation of plant defense responses and sugar efflux by expression of pyruvate decarboxylase in potato leaves* 661
Tanaka, Y. *see* Fujiwara, H.
Teeri, T.H. *see* Elomaa, P.
ten Hoopen, R., Harbord, R.M., Maes, T., Nanninga, N. and Robbins, T.P. *The self-incompatibility (S) locus in* Petunia hybrida *is located on chromosome III in a region, syntenic for the Solanaceae* 729
Tena, G. and Renaudin, J.P. *Cytosolic acidification but not auxin at physiological concentration is an activator of MAP kinases in tobacco cells* 173
Thomashow, M.F. *see* Gilmour, S.J.
Thorne, L. *see* Lebel, E.
Ting, J.T.L., Wu, S.S.H., Ratnayake, C. and Huang, A.H.C. *Constitutents of the tapetosomes and elaioplasts in* Brassica campestris *tapetum and their degradation and retention during microsporogenesis* 541
Tjaden, J., Möhlmann, T., Kampfenkel, K., Henrichs, G. and Neuhaus, H.E. *Altered plastidic ATP/ADP-transporter activity influences potato (*Solanum tuberosum *L.) tuber morphology, yield and composition of tuber starch* 531
Tomsett, A.B. *see* Salter, M.G.
Tonelli, C. *see* Kranz, H.D.
Torrent, M. *see* Marzábal, P.
Trelease, R.N. *see* Flynn, C.R.
Trethewey, R.N. *see* Keller, R.
Tsui, F. *see* Citovsky, V.
Tyerman, S.D. *see* Whitehead, L.F.

Uchimiya, H. *see* Yamaguchi, M.
Uknes, S. *see* Lebel, E.
Umeda, M. *see* Yamaguchi, M.
Urzainqui, A. *see* Kranz, H.D.

Van Camp, W. *see* Schraudner, M.
Vaucheret, H., Béclin, C., Elmayan, T., Feuerbach, F., Godon, C., Morel, J.-B., Mourrain, P., Palauqui, J.-C. and Vernhettes, S. *Transgene-induced gene silencing in plants* 651
Veenhuis, M. *see* Wimmer, C.
Vernhettes, S. *see* Vaucheret, H.
Vian, B. *see* Ha, M.A.
Vicente-Carbajosa, J. *see* Mena, M.
Viëtor, R.J. *see* Ha, M.A.
Vita, N. *see* Canut, H.

Walz, C. *see* Kehr, J.
Wang, Z., Yang, P., Fan, B. and Chen, Z. *An oligo selection procedure for identification of sequence-specific DNA-binding activities associated with plant defence response* 515
Ward, E. *see* Lebel, E.
Weber, H., Heim, U., Golombek, S., Borisjuk, L., Manteuffel, R. and Wobus, U. *Expression of a yeast-derived invertase in developing cotyledons of* Vicia narbonensis *alters the carbohydrate state and affects storage functions* 163
Weisshaar, B. *see* Kranz, H.D.
Whitehead, L.F., Day, D.A. and Tyerman, S.D. *Divalent cation gating of an ammonium permeable channel in the symbiotic membrane from soybean nodules* 313
Wiese, C. *see* Schraudner, M.
Willmitzer, L. *see* Kehr, J.
Wilson, R.H. *see* Chen, L.
Wimmer, C., Schmid, M., Veenhuis, M. and Gietl, C. *The plant PTS1 receptor: similarities and differences to its human and yeast counterparts* 453
Wittich, P.E. *see* Colombo, L.
Wobus, U. *see* Weber, H.
Wolkers, W., Alberda, M., Koornneef, M., Léon-Kloosterziel, K.M. and Hoekstra, F.A. *Properties of proteins and the glassy matrix in maturation-defective mutant seeds of* Arabidopsis thaliana 133
Wood, W. *see* Reuber, T.L.
Wu, S.S.H. *see* Ting, J.T.L.

Yamaguchi, M. *see* Fujiwara, H.
Yamaguchi, M., Umeda, M. and Uchimiya, H. *A rice homolog of Cdk7/MO15 phosphorylates both cyclin-dependent protein kinases and the carboxy-terminal domain of RNA polymerase II* 613
Yamazaki, M. *see* Ho, C.-L.
Yang, P. *see* Wang, Z.
Yin, S. *see* Newman, J.D.
Yonekura-Sakakibara, K. *see* Fujiwara, H.

Zarka, D.G. *see* Gilmour, S.J.

*The Plant Journal* (1998) **16**(6), 751–753

# Subject index

abscisic acid 257
acclimation 681
acetaldehyde 661
actin 393, 689
actin-depolymerising factor 689
acyltransferase 421
*Agrobacterium* 735
*Agrobacterium tumefaciens* 673
*alcR/alcA* 127
amino acid 345
ammonium channel 313
amylopectin 531
amyloplast 627
amylose 531
anaerobic response 127
anthocyanin 93
anthocyanin accumulation 465
anthocyanin biosynthesis 421
anthocyanin pigmentation 371
anthranilate synthase 145
antisense 403
AP2 domain 433
*Arabidopsis* 21, 63, 73, 79, 155, 209, 385, 433, 443, 473, 553, 581, 633, 681, 735
*Arabidopsis* ecotypes 117
*Arabidopsis thaliana* 133, 263, 377, 393, 411
asparagine 345
*Aspergillus nidulans* 127
assimilate partitioning 163
ATP/ADP transporter 531
automated marker 643
auxin 173, 553, 601

BAC contigs 377
bacterial artificial chromosomes 377
barley 53, 721
bHLH 93
binding 305
biotrophs 191
blue light 465
branched silkless 355
*Brassica*___ 541
BY-2 393
BY-2 cells 709

cadmium 13, 73
calcium signalling 681
carbohydrate state 163
CAT 709
cation channel 101
cDNA cloning 421
cell cycle 613
cell cycle control 21
cell death 191, 209, 661
cell wall 63, 183, 385
cellulose 163
centromere 721
cereal storage protein genes 41
chalcone synthase gene 371
chloroplast 33, 107, 257, 627
choline 487
choline monooxygenase 487
choline oxidase 155
chromoplast 627
circadean 277
circumnutation 145
*cis*-acting elements 1
*Citrullus vulgaris* 453
cofilin 689
cold-regulated genes 433
confocal laser scanning microscopy 621
COP1 201
cowpea 191
cryptochrome 1 465
current pulses 87
cyclin-dependent kinase 697
cyclin-dependent protein kinase 613
cytoskeleton 21, 697
cytosolic pH 173

day/night rhythm 497
defense 561
desiccation tolerance 133
development 285
*dfr* 93
*dgd*1 mutant 33
direct repeat 673
discriminant analysis 385
disease susceptibility 473
diurnal course 505
DNA-binding factors 515
DNA-binding proteins 263
DOF proteins 53
drought 681
drought-induced protein 257
dual-specificity protein phosphatase 581

*eds* 473
elaioplasts 541
elementary fibril 183
endosperm 21, 53
endosperm box 41
*Erysiphe* 473
ethanol inducible promoter 127
ethylene 553
*Eutypa lata* dieback 335
eutypine-reducing enzyme 335

far red light 411
fatty acid 601
fibrillin 257
filler DNA 673
FIN2 411
FISH 729
FITC-labeled DNA 621
flax 365, 385
flower development 93
flower variegation 371
fluorescence *in situ* hybridization 721
fragmentation 305
FTIR microspectroscopy 133
FTIR spectroscopy 385

© 1998 Blackwell Science Ltd

γ-glutamylcysteine synthetase 73
gating 313
GCN4 motif 41
gene expression 1, 421
gene expression cassette 127
genetic engineering 107
*Gentiana triflora* 421
*Gerbera hybrida* 93
germination 155
GFP 393
glassy state 133
glutathione peroxidase 235
glutathione 73
glycine betaine 155, 487
glycosyl hydrolase 571
glyoxysomes 453, 709
green fluorescent protein 627
growth 497

*Hansenula polymorpha* 453
heteroduplex analysis 117
high temperature stress 155
homeobox 285
hordein genes 53
*Hordeum vulgare* 101
host factors 13
hydrogen peroxide 235
hypersensitive response 235, 515
hypocotyl elongation 201
hypocotyl growth 465

image analysis 505
imbibition 155
immature wheat embryos 621
*in situ* and *in vivo* monitoring 621
*in vivo* footprinting 223
inducible plant gene expression 127
induction 561
Ins 3-phosphate synthase 403
invertase 523
inverted repeat 365
ion fluxes 305
iron-sulfur protein 487
isocitrate dehydrogenase 325
isoenzymes 345

Krebs cycle 325

LCO 571
leaf growth 505
legume seed development 163
light 345
*Lilium* 87
linker-scanning 223
lipid 33
low temperature 433
*Irt1* 247
lysophospholipid 601

MADS box genes 355
magnesium 313
maize 355
maize K-zein gene 41
MAP kinase 173, 581
map positions 263
metabolic control 345
metabolic engineering 487
metabolic regulation 163
metallothionein 209
microfibril 183
microfilaments 191
microsporogenesis 541
microtubules 191, 297
MITEs 79
mitosis 21, 697
molecular cloning 443
molecular marker 643
morning glory 371
multigene expression 107
mutant 247, 411, 651
mutable allele 371
mutant screen 385
mycorrhizae 523
*myo*-inositol 403

NADH oxidase 277
NADPH aldehyde reductase gene 335
*Nicotiana sylvestris* 591
*Nicotiana tabacum* L. 173, 235, 673
NMR 183
Nod factor 571
nuclear localization 201
nucleic acid hybridisation 377

oligogalacturonides 305
oligomerization 709
oligonucleotide selection 515
organelle 633
osmoprotectant 487
overexpression of plant tubulin 297
oxidative burst 235
oxidative stress 681

PALE 285
particle bombardment 621
patch-clamp 101
pathogenesis 473
pathogenesis-related proteins 13
PCR-based markers 117
periodicity 277
*Peronospora parasitica* 209
petunia 729
PEX5 453
pH 689
pH pulses 87
phloem 497
phosphatidylinositol 689
phospholipase A 601
phospholipase C 689
phosphorylation 613
phosphoserine aminotransferase 443
photomorphogenesis 201
physical mapping 377
phytochrome 201
phytochrome A 411
phytochrome A and B 465
*Pisum sativum* 643

plant 325, 365, 633, 697
plant defense 523, 571, 661
plant defense responses 515
plant development 247, 355
plant transformation 673
plant viruses 13
plant–pathogen interactions 1
plants 223
plasma membrane 63, 633
plastids 627
pollen 541
pollen tube 87, 393
polyamines 101
polyploidy 21
Populus 285
post-embryonic 247
post-transcriptional silencing 651
potato 403
potato leaves 661
powdery mildew 473
PR-1 promoter 223
programmed cell death 235
prolamin box 41, 53
promoter analysis 1, 41
protein import 33, 453
protein secondary structure 133
protein targeting 453
proteinase 107
proteome 633
*pSau3A9* 721
*Pseudomonas syringae* 209
PTS2 709
pyruvate decarboxylase 661

*R2R3-MYB* genes 263
reaction mechanism 571
relic S-RNases 591
resistance 191
resistance gene 365
retrotransposon 643, 721
RGD motif 63
*Rhizobium* 571
rhythm 277
rice 613
RNA polymerase II 613
root 247
root hairs 553
root pressure chamber 505
root waving 145
rust 365

salicylic acid 13
second messenger 601
seed germination 465
seeds 133
self-compatibility 591
self-incompatibility 729
senescence 209
serine 443
sesquiterpene cyclase 1
signal 561
signal transduction 581, 601
signaling 411
Silwet L-77 735
single-nucleotide polymorphism 117
Solanum 497
*Solanum tuberosum* 257, 531
soybean 313
S-RNases 591
starch biosynthesis 531
storage product synthesis 163
stress 101
subcellular localization 421
sucrose 497
sugar metabolism 661
sugar regulation 163
sugar sensing 523
suppressor element 1
symbiosis 313
synteny 729
systemic acquired resistance 223
systemic and local movement 13
systemic signal 651

tapetosomes 541
tapetum 541
T-DNA 729
T-DNA integration 673
thiolase 709
thylakoid 257
tobacco 393
tobacco cells 305
toxin inactivation 335
transcription factor 53, 93, 263, 515
transcriptional activators 433
transcriptional regulation 223
transcriptional silencing 651
transduction 173, 561
transformation 735
transgene 651
transgenic grape cells 335
transgenic maize 297
transgenic plants 497
transient expression 627
transient responses 305
transposable element 365, 371, 643
transposon 79
*trp5–2*$^{wvc1}$ 145
tuber development 403

ultradian 277

vacuolar membrane 101
vacuum 735
*vitis vinifera* 335
volatile 561
voscovitine 697

wounding 561
WRKY DNA-binding proteins 515

xylem 285

yeast complementation 325

*Zea mays* 247